116TH CONGRESS 1ST SESSION S.
To require carbon monoxide detectors in certain Federally assisted housing, and for other purposes.
IN THE SENATE OF THE UNITED STATES
Ms. Harris introduced the following bill; which was read twice and referred to the Committee on
A BILL  To require carbon monoxide detectors in certain Federally assisted housing, and for other purposes.
1 Be it enacted by the Senate and House of Representa-
2 tives of the United States of America in Congress assembled,
3 SECTION 1. SHORT TITLE.
4 This Act may be cited as the [" Act
5 of" <b>]</b> .
6 SEC. 2. CARBON MONOXIDE DETECTORS IN FEDERALLY AS
7 sisted housing.
8 (a) Supportive Housing for the Elderly.—Sec-

9 tion 202(j) of the Housing Act of 1949 (12 U.S.C.

10 1701q(j)) is amended by adding at the end the following:

1 "(9) CARBON MONOXIDE DETECTORS.—
2 "(A) IN GENERAL.—Each owner of a

dwelling unit assisted under this section shall ensure that not less than 1 carbon monoxide detector is installed per floor in the dwelling unit [in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit--Modeled after smoke detector reg.].

"(B) Rehabilitation.—Each owner of a dwelling unit assisted under this section that is located in a property that is undergoing or planning a substantial rehabilitation project shall ensure that, during that rehabilitation, not less than 1 carbon monoxide detector is installed per floor in the dwelling unit [in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit— Modeled after smoke detector reg.]."

21 (b) Supportive Housing for Persons With Dis-22 Abilities.—Section 811(j) of the Cranston-Gonzalez Na-23 tional Affordable Housing Act (42 U.S.C. 8013(j)) is 24 amended by adding at the end the following:

"(7) CARBON MONOXIDE DETECTORS.—

"(A) IN GENERAL.—Each dwelling unit as-1 2 sisted under this section shall contain not less 3 than 1 carbon monoxide detector installed per 4 floor of the dwelling unit [in accordance with 5 standards and criteria acceptable to the Sec-6 retary for the protection of occupants in the 7 dwelling unit— Modeled after smoke detector 8 reg. ]. 9 "(B) REHABILITATION.—Each dwelling 10 unit assisted under this section that is located 11 in a property that is undergoing or planning a 12 substantial rehabilitation project shall, during 13 that rehabilitation, have installed not less than 14 1 carbon monoxide detector per floor of the 15 dwelling unit [in accordance with standards 16 and criteria acceptable to the Secretary for the 17 protection of occupants in the dwelling unit— 18 Modeled after smoke detector reg. 1.". 19 (c) Public and Section 8 Housing.—The United 20 States Housing Act of 1937 (42 U.S.C. 1437 et seq.) is 21 amended— 22 (1) in section 3(a) (42 U.S.C. 1437a(a)), by 23 adding at the end the following: 24 "(8) Carbon monoxide detectors.—

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

4

"(A) IN GENERAL.—Each public housing agency shall ensure, for each dwelling unit in public housing owned or operated by the public housing agency, that not less than 1 carbon monoxide detector is installed per floor in the dwelling unit in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit— Modeled after smoke detector reg. 1. "(B) REHABILITATION.—With respect to public housing for which a public housing agency is undergoing or planning a substantial rehabilitation project, the public housing agency shall ensure that, during that rehabilitation, not less than 1 carbon monoxide detector is installed per floor in each dwelling unit located in that public housing [in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit— Modeled after smoke detector reg. 1."; and (2) in section 8(o) (42 U.S.C. 1437f(o)), by adding at the end the following: "(21) Carbon monoxide detectors.— "(A) IN GENERAL.—Each owner of a dwelling unit receiving tenant-based assistance or project-based assistance under this subsection shall ensure that not less than 1 carbon monoxide detector is installed per floor in the dwelling unit [in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit—Modeled after smoke detector reg.]

"(B) Rehabilitation.—With respect to a property receiving tenant-based assistance or project-based assistance for which the owner is undergoing or planning a substantial rehabilitation project, the owner shall ensure that, during that rehabilitation, not less than 1 carbon monoxide detector is installed per floor in each dwelling unit assisted in that property [in accordance with standards and criteria acceptable to the Secretary for the protection of occupants in the dwelling unit— Modeled after smoke detector reg.].".

20 (d) Additional Funding.—There are authorized to 21 be appropriated to carry out the amendments made by this 22 Act \$1,000,000 for each of fiscal years 2020 through 23 2029.